



SPLITTERS SPEC SHEET • SPLITTERS SPEC SHEET

	Manufacturers Info	Operators	Options Used	Splitting Capacity (D x L)
Built-Rite 11HPWS	Built-Rite Mfg. Co. Address: 750 E. Hill Rd. Ludlow, VT 05149 Tel: 802/228-7293 Fax: 802/228-7293 www.built-rite.com	Machine Operator John Smith Log Loader n/a	Hydraulic log lift, 6-way wedge	5 ft. x 23 in.
Iron & Oak 2202FC	Iron & Oak 1700 North Shabbona Streator, IL 61364 Tel: 800/817-1005 Fax: 815/672-9073 www.logsplitters-ironoak.com	Machine Operator Craig Blake Log Loader Brian Flanagan	n/a	24 in. long by any diameter
Iron & Oak BHH4003	Iron & Oak 1700 North Shabbona Streator, IL 61364 Tel: 800/817-1005 Fax: 815/672-9073 www.logsplitters-ironoak.com	Machine Operator Craig Blake Log Loader Brian Flanagan	4-way wedge, auto-cycle log lift	Any diameter x 24 in.
Split-Right 225	Split Right Mfg. 9650 Packard Rd. Morenci, MI 49256 Tel: 517/458-1500 Fax: 517/458-1550 www.splitright.com	Machine Operator Kevin Green Log Loader Jason Shipman	600 lb. log lift, 4- & 6-way wedge	Any diameter. up to 48 in. long
Super Split HD	Supersplitter Inc. 2 Bert Dr. Unit 7 West Bridgewater, MA 02379 Tel: 508/427-5800 Fax: 508/638-5688 www.supersplit.com	Machine Operator Paul McCann Log Loader n/a	Production table	24 in. x 24 in.
Timberwolf TW5FC	Timberwolf Mfg. 126 Spruce St. Rutland, VT 05701 Tel: 800/340-4386 Fax: 802/773-1275 www.timberwolfcorp.com	Machine Operator Tom Brown Log Loader Mark Brown	Hydraulic log lifter	Any diameter x 24 in.



PROCESSORS SPEC SHEET • PROCESSORS SPEC SHEET

	Manufacturers Info	Operators	Options Used	Splitting Capacity (D x L)
Blockbuster 14-12	Blockbuster Inc. Address: 2756 Kentucky Ave. Mt. Pleasant, IA 52641 Tel: 888/775-4883 Fax: 319/986-6858 www.blockbuster-inc.com	Machine Operator Shawn Bencze	2-strand live deck, 10 ft. attached elevator	14 in. x 14 ft.
Blockbuster 22-22	Blockbuster Inc. 2756 Kentucky Ave. Mt. Pleasant, IA 52641 Tel: 888/775-4883 Fax: 319/986-6858 www.blockbuster-inc.com	Machine Operator Tim Batey	Operator's cab	22 in. x 24 ft.
Built-Rite 40SCP-HP	Built-Rite Mfg. Co. 750 E. Hill Rd. Ludlow, VT 05149 Tel: 802/228-7293 Fax: 802/228-7293 www.built-rite.com	Machine Operator Jeremy Smith Log Loader John Smith	Triple multi-wedge, auto stop system, auto splitter	22 in. x 24 ft.
Cord King 48	Cord Master International 2040 Rogers Rd. Perth, ON K7H1P9 Tel: 613/267-0018 Fax: 613/267-2202 www.cord-master.com	Machine Operator Bobby Hanson Log Loader Dave Kravacek	6-way hydraulic adjustable wedge, auto clamp, hydraulic log stop, & hydraulic live deck	20 in. x 24 in.
Hakki Pilke 1x42 Bill Thoms	Bill Thoms PO Box 87 Eaton, N.H. 03832 Tel: 603/447-3417 Fax: 603/447-3468	Machine Operator Jeroold Visser Log Loader Ted Koopman	Hydraulic log table, Woodran 422 Manufacturer Maaselan Kone Oy	16.5 in. x 24 in.

HEET • SPLITTERS SPEC SHEET • SPLITTERS SPEC SHEET • SPLI

Weight	Equip. Footprint (L x W)	Power Plant	Performance	Log handling	Towing
1,500 lbs.	11 ft. x 5 ft. 6 in.	11 hp Honda	Production rate: 3 cords/hr. Splitter cycle time: 6 sec.	Log lift	Towing package: 2 in. ball
630 lbs.	7 ft. 10 in. x 4 ft. 4 in.	9 hp Honda	Production rate: n/a Splitter cycle time: 8 sec.	Log loader	Towing package: Standard
980 lbs.	7 ft. 4 in. x 4 ft.	11 hp Honda	Production rate: 2 cords/hr. Splitter cycle time: n/a	Log loader: Log lift standard	Towing package: Standard
2,100 lbs.	6 ft. x 10 ft.	Honda, Kohler or Subaru option	Production rate: n/a Splitter cycle time: 9 sec.	Log loader: 600 lb. log lift 40 X 42 pass-thru log deck. 1 in. solid steel bars	Towing package: Standard torsion axle, hitch receivers on front and back. Easily tows to 70 mph
450 lbs.	7 ft. x 3 ft. w/table	4.5 & 6 hp Subaru, or 1 & 1-1/2 hp electric	Production rate: n/a Splitter cycle time: 2.5 sec.	Log loader: Manually or ramps	Towing package: n/a
1,200 lbs.	4 ft. x 8 ft.	11 hp Honda GX	Production rate: 2+ cords/hr. Splitter cycle time: 6 sec.	Hydraulic log loader	Towing package: n/a

EC SHEET • PROCESSORS SPEC SHEET • PROCESSORS

Weight	Equip. Footprint (L x W)	Power Plant	Performance	Log handling	Towing
2,700 lbs.	17 ft. 6 in. x 8 ft. 10 in.	31 hp Briggs & Stratton	1 cord/hr. Splitter cycle time: 7.5 sec.	Log loader: n/a	Towing package: Standard w/electric brakes & lights
11,000 lbs.	27 ft. 10 in. x 13 ft.	83 hp, 4 cyl., turbo-charged Kubota diesel	Production rate: 3-4 cords/hr. Splitter cycle time: 4.5 sec.	Log loader: n/a	Standard w/electric brakes & lights
7,500 lbs.	25 ft. 2 in. x 7 ft.	68 hp Kubota diesel	Production rate: 3-4 cords/hr. Splitter cycle time: 5 sec.	Log loader: n/a	Towing package: Hydraulic surge brakes, 2 in. ball
12,000 lbs.	28 ft. x 8 ft. 6 in.	John Deere 4045 80 hp	Production rate: 6+ cords (128 cu. ft.) Splitter cycle time: 2.75 sec.	Log loader: Case	Towing package: Pintle hitch, elec- tric brakes
2,348 lbs.	In transport position 9 ft. x 4.5 ft.	PTO operated or separate power source	Production rate: 3 cord/hr. Splitter cycle time: 2.8 sec.	Log loader: Nokka	Towing package: Tractor mounted



PROCESSORS SPEC SHEET • PROCESSORS SPE

Manufacturers Info	Operators	Options Used	Splitting Capacity (D x L)
Hud-Son Badger	Hud-Son Forest Equipment Inc. 8187 State Route 12 PO Box 345 Barneveld, NY 13304 Tel: 800/765-7297 Fax: 315/896-2815 www.hud-son.com	Machine Operator Dave Hollenbeck Log Handler Eric Hertel	none 16 ft. x 24 in.
Hud-Son Beast	Hud-Son Forest Equipment Inc. 8187 State Route 12 PO Box 345 Barneveld, NY 13304 Tel: 800/765-7297 Fax: 315/896-2815 www.hud-son.com	Machine Operator Dave Hollenbeck Log Handler Eric Hertel	None 24 in. x 30 in.
Multitek 1610EZ	Multitek North America, LLC 700 Main St. Prentice, WI 54556 Tel: 800/243-5438 Fax: 715/428-2766 www.multitekinc.com	Machine Operator Dave Foytik Log Handler Marcus Steigerwaldt	13 ft. built-in conveyer, live deck, joy sticks built in elevator 21 in. x 6 ft. in transit 25 ft. x 9.9 in. in transit
Multitek 2040 xp2 ss	Multitek North America, LLC 700 Main St. Prentice, WI 54556 Tel: 800/243-5438 Fax: 715/428-2700 www.multitekinc.com	Machine Operator David Foytik Log Handler n/a	30 ft. conveyer, cab, 8-way wedge 20 in. x 40 ft.
Palax Power 90S Carl Neutzel	Palax/Carl Neutzel Services 2648 Openshaw Rd. Whitehall, MD 21161 Tel: 410/329-6791 Fax: 410/357-4175 www.carlneutzel.com	Machine Operator Carl Neutzel Log Handler n/a	6-way wedge, hydraulic infeed table 15 in. x 30 in.
Tajfun RCA 380 OESCO	OESCO, Inc. PO Box 540, Conway, MA 01341 Tel: 800/634-5557 Fax: 413/369-4431 www.oescoinc.com	Machine Operator Howard Boyden Log Handler Doug Churchill	Standard equipment: lift table, 4-way wedge, 13 ft. discharge conveyer 15 in. x 8 in.–20 in.
Timberwolf Pro MP	Timberwolf Mfg. 126 Spruce St. Rutland, VT 05701 Tel: 802/775-4227 Fax: 802/773-1275 www.timberwolfcorp.com	Machine Operator Kevin Downes Log Handler n/a	n/a 18 in. x 12–14 ft.
Timberwolf Pro HDXL	Timberwolf Mfg. 126 Spruce St. Rutland, VT 05701 Tel: 802/775-4227 Fax: 802/773-1275 www.timberwolf.com	Machine Operator Ben Haffelmirr Log Handler Bob Baker	n/a 22 in. x 18–20 ft.
Wood Beaver 1x37 Hakki Pilke	Maaselan Kone Oy–Hakki Pilke 1117 Western Dr. Hartford, WI 53027 Tel: 800/569-6813 Fax: 262/670-0183 www.woodbeaver.net	Machine Operator Larry Waffer Log Handler Mark Goose	Manual log deck 15-1/2 in. x 24 in.
Woodbine Jr. CRD	CDR Metalworks 17 Hyde Hill Rd. Williamsburg, MA 01096 Tel: 800/667-8580 Fax: 413/303-9351 www.crdmetalworks.com	Machine Operator Chris Duval Log Handler n/a	24 hp Honda 16 in. x 24 ft.
Woodbine Ultimate CRD	CDR Metalworks 17 Hyde Hill Rd. Williamsburg, MA 01096 Tel: 800/667-8580 Fax: 413/303-9351 www.crdmetalworks.com	Machine Operator Neven Wenger Log Handler Chris Duval	n/a 24 in. x 30 ft.
Woodbine Rapido Loco CRD	CDR Metalworks 17 Hyde Hill Rd. Williamsburg, MA 01096 Tel: 800/667-8580 Fax: 413/303-9351 www.crdmetalworks.com	Machine Operator Chris Duval Log Handler n/a	n/a 24 in. x 30 ft.

EC SHEET • PROCESSORS SPEC SHEET • PROCESSORS SPEC SHEET

Weight	Equip Footprint (L x W)	Power Plant	Performance	Log handling	Towing
2,250 lbs.	8 ft. 6 in. x 6 ft.	B&S 16 hp	Production rate: 1 full cord/hr. Splitter cycle time: 12 sec.	Log loader: winch & ramp	Towing package: 2 in. ball
9,200 lbs.	27 ft. x 8 ft.	Caterpillar 51 hp	Production rate: 3 full cords/hr. Splitter cycle time: 5.2 sec.	Log loader: hydraulic live deck	Towing package: 2-5/16 in. ball or pintle hitch
3,400 lbs.	21 ft. x 6 ft. in transport. 25 ft. x 9 ft. 9 in. in operation	25 hp Subaru Robin gas engine	Production rate: 1- 1-1/2 cords/hr. Splitter cycle time: 6.5 sec.	n/a	Towing package: 2 in. ball, trailer light kit, safety kit, fenders
14,000 lbs. (w/ 3,300 lb. conveyer, 17,300 lbs. total)	29 ft. x 8 ft.	80 hp John Deere diesel	4+ cords/hr. Splitter cycle time: 3.3 sec.		Towing package: Pintle hitch, lights, tandem axle, elec- tric brakes
2,800 lbs.	9 ft. x 4.5 ft.	45 hp tractor, 540 RPM	Production rate: 1-3 cords/hr. Splitter cycle time: 3-5 sec.	Log loader: hydraulic deck loaded by skid loader knuckle- boom, etc.	3-pt. hitch or fork
2,700 lbs.	Transport position 6 ft. x 8 ft.; working 6 ft. x 25 ft.	Goldoni Star 75Q	Production rate: One man-2 cords/hr. Splitter cycle time: 3 sec.	Log loader: hydraulic standard	Towing package: n/a
5,500 lbs.	8 ft. x 21 ft.	36 hp Yanmar by John Deere	Production rate: 1- 1.5 cord/hr. Splitter cycle time: 8 sec.	Log loader: n/a	Towing pack- age: DOT lights and brakes stan- dard
7,100 lbs.	8 ft. x 25 ft.	80 hp John Deere	Production rate: 4+ cords/hr. Splitter cycle time: 4.5 sec.	Log loader: n/a	Towing package: DOT lights and brakes standard.
1,200 lbs.	7 ft. x 7 ft. 6 in. (fold- ed)	John Deere 40 hp tractor; can run on as low as 20 hp tractor or power rack	Production rate: 2+ full cords/hr. Maximum: 7.8 full cords/hr. Splitter cycle time: 2.8 sec.	Log loader: manual, log lift, hydraulic feed- ing table	Towing package: 3- point, lifting eye, forkliftable also
4,000 lbs.	7 ft. x 20 ft.	24 hp Honda gasoline	Production rate: 2 cords/hr. Splitter cycle time: 6 sec.	Log loader: 12 ft. live deck	Towing package: single axle
7,000 lbs.	24 ft. x 8 ft. 6 in.	48 hp John Deere	Production rate: 3-4 cords/hr. Splitter cycle time: 5 sec.	Log loader: 14 ft. live deck	Towing package: tandem-axle, DOT approved w/ lights, jacks, and electric brakes
8,500 lbs.	24 in. x 8 ft. 6 in.	66 hp John Deere	Production rate: 5 cords/hr. Splitter cycle time: 3 sec.	Log loader: 14 ft. live deck	Towing package: tandem-axle, DOT approved with lights, jacks, and electric brakes